

PRECISION ANALYTICAL SERVICES, INC.

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616 NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer:

PARS Environmental

500 Horizon Drive, Suite 540 Robbinsville Twp, NJ 08691

Project ID : PAS Project ID :	Warren County Technical, 15 P21-13683	500 NJ-57, Was	hington							Matrix : Report Date :	Drinking Water 1/7/2022
PAS Sample ID	Client ID	Analysis	Results	Units	DF	PQL	MDL	MCL	Method	Date Sampled	Date Analyzed
P21-13683-01	WCT-Field Blank	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:30	1/3/22 10:56
P21-13683-02	WCT-1-H Gym-BT-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:30	1/3/22 11:00
P21-13683-03	WCT-1-H 374-WC-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:31	1/3/22 11:24
P21-13683-04	WCT-1-H 374-BT-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:31	1/3/22 11:28
P21-13683-05	WCT-1-388-IM-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:32	1/3/22 11:32
P21-13683-06	WCT-1-388-BT-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:32	1/3/22 11:36
P21-13683-07	WCT-1-388-WC-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:33	1/3/22 11:40
P21-13683-08	WCT-1-387-CF-P	Lead	1.83 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:33	1/3/22 11:44
P21-13683-09	WCT-1-387-WC-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:34	1/3/22 11:48
P21-13683-10	WCT-1-386-CF1-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:35	1/3/22 11:52
P21-13683-11	WCT-1-386-CF2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:35	1/3/22 11:56
P21-13683-12	WCT-1-386-CF3-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:36	1/3/22 12:08
P21-13683-13	WCT-1-H 379-WC-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:37	1/3/22 12:12
P21-13683-14	WCT-1-H 379-8T-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:38	1/3/22 12:16
P21-13683-15	WCT-1-382-CF1-P	Lead	1.43 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:39	1/3/22 12:21
P21-13683-16	WCT-1-382-CF2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:40	1/3/22 12:25
P21-13683-17	WCT-1-373-TL-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:41	1/3/22 12:29
P21-13683-18	WCT-1-250-CF1-P	Lead -	3,03	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:42	1/3/22 12:33
P21-13683-19	WCT-1-250-CF2-P	Lead	2.83	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:42	1/3/22 12:37
P21-13683-20	WCT-1-2458-CF1-P	Lead	1.83 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:43	1/3/22 12:41
P21-13683-21	WCT-1-2458-CF2-P	Lead	1.83 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:43	1/3/22 12:53
P21-13683-22	WCT-1-246-CF1-P	Lead	1.03 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:44	1/3/22 13:09
P21-13683-23	WCT-1-246-CF2-P	Lead	1.63 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:44	1/3/22 13:13

Except for the parameters tested, PAS makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

DF = Dilution Factor

ND = Analyzed for but not detected

J = Estimated result

* Federal Action Level

All samples are analyzed in accordance with New Jersey Department of Environmental Protection Protocol

Mark D. Feitelson, Lab. Director



PRECISION ANALYTICAL SERVICES, INC.

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616 NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer:

PARS Environmental

500 Horizon Drive, Suite 540 Robbinsville Twp, NJ 08691

Project ID: W

Warren County Technical, 1500 NJ-57, Washington

PAS Project ID: P21-13683

Matrix: Drinking Water Report Date: 1/7/2022

PAS Project ID :	S Project ID: P21-13683 Report Date:								1/ // 2022		
PAS Sample ID	Client ID	Analysis	Results	Units	DF	PQL	MDL	MCL	Method	Date Sampled	Date Analyzed
P21-13683-24	WCT-1-248-CF1-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:45	1/3/22 13:17
P21-13683-25	WCT-1-248-CF2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:45	1/3/22 13:21
P21-13683-26	WCT-1-248-WC-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:46	1/3/22 13:25
P21-13683-27	WCT-1-247-CF1-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:46	1/3/22 13:37
P21-13683-28	WCT-1-247-CF2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:47	1/3/22 13:41
P21-13683-29	WCT-1-Cafe-FP1-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:50	1/3/22 13:45
P21-13683-30	WCT-1-Kit-FP2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:51	1/3/22 13:49
P21-13683-31	WCT-1-Kit-FP3-P	Lead	3.23	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:52	1/3/22 13:53
P21-13683-32	WCT-1-Kit-FP4-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:53	1/3/22 13:57
P21-13683-33	WCT-1-Kit-FP5-P	Lead	6.44	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:54	1/3/22 14:01
P21-13683-34	WCT-1-Kit-IM-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:55	1/3/22 14:05
P21-13683-35	WCT-1-Kit-ST-P	Lead	25.3	ug/L	2	4.00	1.80	15.0 *	SM 3113 B	12/29/21 08:56	1/3/22 15:42
P21-13683-36	WCT-1-Kit-SP-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:57	1/3/22 14:31
P21-13683-37	WCT-1-Serving-FP6-P	Lead	10.1	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:57	1/3/22 14:35
P21-13683-38	WCT-1-Cafeteria-WC1-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:58	1/3/22 14:39
P21-13683-39	WCT-1-Cafeteria-BT1-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 08:59	1/3/22 14:43
P21-13683-40	WCT-1-Cafeteria-WC2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:00	1/3/22 14:47
P21-13683-41	WCT-1-Cafeteria-BT2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:01	1/3/22 14:51
P21-13683-42	WCT-1-102-CF1-P	Lead	2.23	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:02	1/3/22 15:16
P21-13683-43	WCT-1-102-CF2-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:03	1/3/22 15:20
P21-13683-44	WCT-1-MO-TL-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:04	1/3/22 15:24
P21-13683-45	WCT-1-H MO-BT-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:05	1/3/22 15:28
P21-13683-46	WCT-1-Nurse-NS-P	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	12/29/21 09:10	1/3/22 15:33

Except for the parameters tested, PAS makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

DF = Dilution Factor

ND = Analyzed for but not detected

J = Estimated result

* Federal Action Level

All samples are analyzed in accordance with New Jersey Department of Environmental Protection Protocol

Mark D. Feitelson, Lab. Director

1000 E ADON - F

and the second of the second	PRACISION	AWALYTKAL	izevycei	1868
	-			

Customer:	PARS Environmental	
Address:	500 Horizon Drive, Suite 540	
	Robbinsville, NJ 08691	
Phone:	(609) 890-7277 Office (609) 672-2557	

School Name:	V 1121 Cumber 18 12 12 1									
School Address	ISOUN 191 Washing									
Sampled 89:	Physical Street, Stree									
Print Name:	M. V HADALITIE									
RESULTS TO:	iPecrini@hmicriticss:-sees ceth									

	Sample ID Location	Date 7 7 21 Time Sampled	Matrix Code	Grab er Comp	Plane's Superplus	Filher Present	# Container ;	Glass or Pleatic	Analysis	LAB ID
١	WET field Blook	8:36	DW	Grab	N	N	1	250 ml Plastic	Lead	Pol (3035-94
2	WETT I GYM BIR	8:36	DW	Grab	N	N	1	250 ml Plastic	Lead	, 0×
3	WCT 1- 11 374-WC-P	8:31	DW	Grab	N	N	1	250 ml Plastic	Lead	-60
4	WET-1-11 374-187-1	31	DW	Grab	N	N	1	250 ml Plastic	Lead	17.46
5	WCT-1-388-JM Y	8:32	DW	Grab	PN	N	1	250 ml Plastic	Lead	
6	WCT-1- 388-BT-8	8:32	DW	Grab	N	N	1	250 mi Plastic	Lead	~ (1) y
7	WET-1-388-WC-P	8.47	DW	Grab	jš i	N	1	250 m) Plastic	Lead	
8	WCT-1-387-CF-P	\$ 33	ow	Grab	N	N	1	250 mi Plastic	Lead	108
9	WCT-1- 387-WC-P	1.34	DW	Grab	Ŋ	И	1	250 mi Piastic	Lead	
0	WCT-1- 386-(F1-1)	व : ५ऽ	DW	Grab	N	M	1	250 mi Piastic	Lead	1/0
11	WCT-1-386-(F2-P	8 35	DW	Grab	N	N	1	250 mi Plastic	Lead	
15	WCT-1-386-CF3 P	8:36	DW	Grab	N	N	1	250 mi Plastic	Lead	
3	WCT-1-H379-WC-P	8:37	DW	Grab	N	N	1	250 mi Plastic	Lead	
4	WCT-1- H 379 BT-P	8.38	DW	Grab	N	N	1	250 ml Plastic	Lead	1 - 14
5	W(T-1-382-CFI-P	8:39	DW	Grab	N	N	1	250 ml Plastic	Lead	Pal-13182-15

SAMPLES REC'D PRESERVED WITH HNO,		PDF 5td.	PDF Reduce	POF Full EOD	Onto/Time
Page of	Deliverables:	X			WHB1

GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soll, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify): PRESERVATI 0 = kg 1 = HCl

V8 2 = H35Cl4 3 = NAO

CODES: 4 = HNOR E = Othe MATRIX CODES:

	Print Name:	Signature:		Date + Time
Relinquisheda	Marissa Weinstein	Mayina New X		12/29/7021
Received	Luci Cente	- The Love	PAL	(2 <u>1.1.4</u>
Relinquisheds	∛	V .		
Race) ved:				
Relinquirhed				
Received:				

PROBLE

PRECISION ANALYTICAL SERVICES, INC.

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 752-214 1518 FAX 721-214-1618

CHAIN OF CUSTODY

Custome	f: PARS Environmental				Schoo	o Name	:: <i>[Mo</i>	CCCC	COUN	ty Technica
Address:	500 Horizon Drive, Sulte 540				SCHOOL	Augre:	12 (1) (1)	<u>u N</u> T	-57	wash maton
	Robbinsville, NJ 98691	The state of the s	······································		2ail	ibied 8	1//6	KANO	Wille	
Phone:	(609) 890-7277 Office (609) 672-2557 Cell Jessica Perrini				Pri	it Name	: M/	Wiss	ia u	1cinstein
			···········		RES	ULTS TO): JPerri	<u> முற்ற</u> ப்ப	rose env.c	om
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Sample ID Location	Dette / 4 Time Sample			Plack Jampio	Filter, Pressure	# Centain	Qion e		LASID
	-1-3-62-012-1	8:46	DW	Grab	N	N	1	250 ml	Lead	Pa 19(2)
, sopher	-1-373 TL-1	8 41	DW	Grab	N	N	1	250 ml Plantic	Lead	
18 MCI	The second secon	8:40	DW	Grab	- N	N	1	250 mi Plastic	Lead	
14 WCT		8.47	DW	Grab	N	N	1	250 ml Pleatic	Lead	
20 WCT		43	DW	Grab	N	N	1	250 mi Plastic	Lead	
1 WCT		8 43	DW	Grab	N	N	1	250 ml Plestic	Lead	
2 WCT		8:44	DW	Grab	N 	N	1	250 ml Plastic	Lead	
3 WCI	1-24(-(F2-1)	14:44	DW	Grab	N	N	1	250 mi Plastic	Lead) — — — — — — — — — — — — — — — — — — —
1 WCI		<u> </u>	DW	Grab	N	N	1	250 m) Plantic	Lead	· · · · · · · · · · · · · · · · · · ·
6 WCT		1645	ÐW	Grab	N	N	1	250 ml Plestic	Lead	
* WCT	-1-247-061-8	8:46	DW	Grab	N -	N	1	250 ml Plastic	Lead	
XIWCT	-1-247-(1)-P	8:46	DW	Grab	<u> </u>	N	1	250 ml Plastic	lead	_ <u> </u>
1WCI	- I- (AFF CP)-P	8:47	DW	Grab	- 	N	1	250 ml Plastic 250 ml	Lead	<u> </u>
WCT-	I KTT-FP1-P	8:51	DW	Grab Grab	N	N	1	Plastic 250 ml	Lead	
	SAMPLES REC'D PRESERVED WITH HNO,	10.01	<u> </u>	<u> </u>	14	N		Plantic	Lead	7/13/13/2
,	2 of 4	···)r	Std. R	PDF educe			PDF Full	EDD _{fia}	tefilaso	
	Su - C	Deliverables:	X		L_				Berned with Est	
MATRIX CODES:	GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = 5oil, t = Liquid, SD = Sludge, B = Blank, K = Soild (specify) :				207			- 1		H25Q4 3 = NaOH
	Print Namer	T							(-	HNOS 5 - Cibar
Relinquishedi	Marissa Weinstein		إثنن		Signatu				Company	Date + Time
Received:	- 64 C - 30 C - 34			nar	libing	21/1	ANN	Ø		2/29/2021
Relinquirhed		·		4. d. A	<u> </u>	Ara i	12		X	13015
Received						···				
Relinquishedi										
Received		·	· —				-			
			*	······································		·	4			

PRECISION ANALYTICAL SERVICES, INC.

Tree unitabille noad toms hiver, neprise Proxe 7329 ja 1275 far 122-340-1446

Customer:	PARS Environmental
Address:	500 Horizon Drive, Sulte 540
	Robbinsville, NJ 08691
Phone:	(609) 890-7277 Office (609) 672-2557 Cell Jessica Perrini

School Name:	Warren Larnin Jeck
School Address	BUT NICH STORY
Sampled By:	Mosan Takuth
Print Name:	Mariesa Walnetein
RESULTS TO:	IPx;(int@mentupe;::h≥3.05)i

	Sample ID Location	Dothi / 2/1 2 / Time Sumpled	Matrix Code	Grab or Comp	Plack Sample	Filipor Protessal	Canbuinar •	Gian er Plastic	Analysis	LAB ID
31	WCT-1-KIT-FP3-P	5 57	DW	Grab	N	N	1	250 mi Plastic	Lead	Par (3/83 3)
3)	INCT 1-KIT-FIY 1	8:53	DW	Grab	N	N	1	250 ml Plastic	Lead	199
33	WCT-1-KIT-FP5-P	8:54	DW	Grab	N	r)	1	250 mi Plastic	Lead	. 23
34	WCT-1-KIT-IM-P	8:55	DW	Grab	N	N	1	250 mi Plastic	Lead	
35	WOTER KITTST P	8:54	ow	Grab	N	N	1	250 mi Plastic	Lead	
36	• •	8:57	DW	Grab	N 	Вą	1	250 ml Plastic	Lead	- 06
37	WCT-1-SERVENG-FP6-P	8:57	DW	Grab	På	N	1	250 mi Plastic	Lead	737
38	WOIT CACETORIA WOIT	8:58	DW	Grab	N	M	1	250 mi Plastic	Lead	,3%
39	WCT-1- CAFETERIA BTI-P	8:59	DW	Grab	N	N	ı	250 ml Plantic	Lead	-39
40	WCT-1-(AEETERIA-WC2-P	9:00	DW	Grab	N	N	1	250 ml Plastic	Lead	-40
41	WCT-1-(AffTERIA-BI)-P	9:01	DW	Grab	N	N	1	25D mi Piantic	Lead	-41
42	WCT-1-102-CFI-P	9.0)	DW	Grab	N	M	1	250 mi Piastic	Lead	-40
43	WCT-1-102-CF2-P	9:03	DW	Grab	N	N	1	250 mi Plastic	Lead	-47
44		9:04	юw	Grab	Ně	N	1	250 ml Plastic	Lead	V -44
45	WCT-1-HMO-BT-P	9:05	ĐW	Grab	N	N	1	250 ml Plastic	Lead	Pat-1368-45

SAMPLES REC'D PRESERVED WITH HNO,	PDF	PDF		PDF Full	EOD	
	Std.	Reduce		FUII	EOD	DALLETTIME
	- 0 - 10 - 10					Fizzazzy pil to-c
l Page スのf ゴ	Deliverables: X	1	1			HATER:

MATRIX
CODES:

GW = Ground Water, WW = Waste Water, SW = Surface Water,
DW = Drinking Water, S = Soli, L = Liquid, SD = Siudge,
8 = 8|ank, K = Solid (specify):

PRESERVATI	۰ ۵	ten	1-	HCI
VE	Z =	HZ204	3 -	NaGH
CODE:	٠,	KKRAN	54	Giller
	7.Acris	······································	ATA.	CONTRACTOR SECURITIONS AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERS

	Print Name:	Signature:		Date + Time
Relinquishedr	Marisra Weinstein	Marin Blent		12/29/2021
Received:	Lynn Souze	They story	PAS	19:15
Relinquishedi	(
Received:				
Relinquished:				
Received:		The state of the s		Annual Complete Communication and Association (Complete Communication)

CHAIN OF CUSTODY

Customer:	PARS Environmental
Address:	500 Horizon Drive, Suite 540
	Robbinsville, NJ 08691

PRECISION ANALYTICAL SERVICES, INC.

(609) 890-7277 Office (609) 672-2557 Cell Jessica Perrini

Phone:

School Name: School Address
Sampled By:
Print Mame: Macroca Main CHIA
RESULTS 10: Detributions and the second a

	Sample ID Location	Data 127 2	Metrix Code	Greb or Comp	Plush Sarapia	Filhio Pensoni	# Carpelner	Qioss or Plantic	Analysis	LABID
16/1	NCT-1-NURSE-NS.P	9:10	DW	Grab	M	N	1	250 ml Plastic	Lead	P2H-12(83-46
			wa	Grab	Ni	N	1	250 ml Plastic	Lead	
		- CONTRACTOR OF THE CONTRACTOR	DW	Grab	N	N	,	250 ml Plastic	Lead	
			DW	Grab	N	N	1	250 ml Plastic	Lead	
STRONG LABORATORY			DW	Grab	N	N	1	250 ml Plastic	Lead	
and the same of th			DW	Grab	N	N	1	250 ml Plastic	Lead	
			DW	Grab	N	N	1	250 ml Plastic	Lead	
			DW	Grab	ы	N	ą.	250 ml Plastic	Lead	
			DW	Grab	N	N	1	250 ml Plastic	Lead	
			ΦW	Grab	N	N	1	250 ml Plastic	Lead	
			DW	Grab	N	ķŀ	1	250 ml Plastic	Lead	·
			DW	Grab	N	N	1	250 ml Plastic	Lead	
			DW	Grab	N	-M	1	250 ml Plastic	Lead	
			DW	Grab	ris	N	1	250 mi Plastic	Lead	
			DW	Grab	N	N	1	250 ml Plastic	Lead	

			DW	Grab	N	N	1	Plastic	Lead	
	SAMPLES REC'D PRESERVED WITH HNO,	-1	PDF Std.	PDF Reduce			PDF Full	EDD	(tanegrillers Telegrapische der der der der der der der der der de	
Page	· \ of 4	Deliverables:	X		ļ	<u> </u>			HPERES .	
MATRIX CODEs	GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soll, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):					B		7	Vá	8 = Ice 1 = NC 2 = H3504 3 = NaOH 4 = HNO3 5 = Dther
Parameter State of the State of	Print Name:				Sign	nature:	/			Date + Time
Relinquisheds	Marissa Weinstein	100	9	Raper	74	West	N	-		12/29/2021
Received	Marissa Weinstun			H		Med V	Certy G	· · · · · · · · · · · · · · · · · · ·	PAS	13:12
Relinquished						e e e	Ų			
Received:										

1/18/2022

Warren County Technical School 1500 Route 57 Washington, NJ 07882

Dear Warren County Technical School Community,

Our school system is committed to protecting student, teacher, and staff health. To protect our community and be in compliance with the Department of Education regulations, the Warren County Technical School tested our schools' drinking water for lead.

In accordance with the Department of Education regulations, the Warren County Technical School will implement immediate remedial measures for any drinking water outlet with a result greater than the action level of 15 μ g/l (parts per billion [ppb]). This includes turning off the outlet unless it is determined the location must remain on for non-drinking purposes. In these cases, a "DO NOT DRINK – SAFE FOR HANDWASHING ONLY" sign will be posted.

Testing Results

Following instructions given in technical guidance developed by the New Jersey Department of Environmental Protection, we completed a plumbing profile for each of the buildings within the Warren County Technical School. Through this effort, we identified and tested all drinking water and food preparation outlets. Of the 46 samples taken, all but 1 tested below the lead action level established by the US Environmental Protection Agency for lead in drinking water (15 µg/l [ppb]).

The table below identifies the drinking water outlets that tested above the 15 μ g/l for lead, the actual lead level, and what temporary remedial action the Warren County Technical School has taken to reduce the levels of lead at these locations.

Sample Location	First Draw Result in µg/l (ppb)	Remedial Action
Kitchen Sink	25.3	Filter installed. Sign posted "Handwashing Only" until filter was installed.

Health Effects of Lead

High levels of lead in drinking water can cause health problems. Lead is most dangerous for pregnant women, infants, and children under 6 years of age. It can cause damage to the brain and kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. Exposure to high levels of lead during pregnancy contributes to low birth weight and developmental delays in infants. In young children, lead exposure can lower IQ levels, affect hearing, reduce attention span, and hurt school performance. At *very* high levels, lead can even cause brain damage. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults.

How Lead Enters our Water

Lead is unusual among drinking water contaminants in that it seldom occurs naturally in water supplies like groundwater, rivers and lakes. Lead enters drinking water primarily as a result of the corrosion, or wearing away, of materials containing lead in the water distribution system and in building plumbing. These materials include lead-based solder used to join copper pipe, brass, and chrome-plated brass faucets. In 1986, Congress banned the use of lead solder containing greater than 0.2% lead, and restricted the lead content of faucets, pipes and other plumbing materials. However, even the lead in plumbing materials meeting these new requirements is subject to corrosion. When water stands in lead pipes or plumbing systems containing lead for several hours or more, the lead may dissolve into the drinking water. This means the first water drawn from the tap in the morning may contain fairly high levels of lead.

Lead in Drinking Water

Lead in drinking water, although rarely the sole cause of lead poisoning can significantly increase a person's total lead exposure, particularly the exposure of children under the age of 6. EPA estimates that drinking water can make up 20% or more of a person's total exposure to lead.

For More Information

A copy of the test results is available in our central office for inspection by the public, including students, teachers, other school personnel, and parents, and can be viewed between the hours of 8:30 a.m. and 4:00 p.m. and are also available on our website at www.wctech.org For more information about water quality in our schools, contact Amy Barkman at the Board Office @ 908-869-6298.

For more information on reducing lead exposure around your home and the health effects of lead, visit EPA's Web site at www.epa.gov/lead, call the National Lead Information Center at 800-424-LEAD, or contact your health care provider.

If you are concerned about lead exposure at this facility or in your home, you may want to ask your health care providers about testing children to determine levels of lead in their blood.

Sincerely,

Amy M. Barkman School Business Administrator Warren County Technical School