

Athletic Participation Information 2023-24

Jeff Tierney, Athletic Director - tierneyj@wctech.org

David Nicholson, Athletic Trainer - nicholsond@wctech.org



All forms should be submitted to the main office or by email to the Athletic Trainer by the appropriate date.

To participate in any sport at Warren Tech the following steps must be taken.

- 1. Submit a current physical on the NJSIAA Physical Form.
 - 2. Submit an Updated Health History Form
- 3. Submit all other participation forms with the appropriate signatures.
- 1. Physical A current Pre-Participation Physical must be handed in on the **NJSIAA** physical form. One physical exam is needed every 365 days. Athletes will not be allowed to participate in any way without a completed physical form. Incomplete forms will NOT be accepted. This means all sections of the physical must be completed. (Vision screening must be written on the physical form. If you see an eye doctor and do not receive your eye exam from your primary care physician, a print out with your vision exam must be attached and signed by the eye doctor who did the exam.) All answers that have been checked off as "yes" on page 1 must have an explanation written on the bottom of page one. Once the physicals are received by the school they must then be signed off by the school physician for official clearance to participate in sports. Because of this, timely submission of all paperwork is necessary.
- 2. Health History Update Questionnaire This form must be completed and signed by a parent/guardian when the student-athlete's last physical examination was completed more than 90 days prior to the first day of official practice. Once completed the form will be reviewed by the athletic trainer and/or school nurse. If an answer to a question is "yes" the certified school nurse or physician (or other designated medical professional) will determine whether additional medical attention or evaluation is needed.
- 3. The following forms must be filled out and signed by a parent/guardian and the student athlete. All forms can be found on the school's website under the Athletics' page or in the Athletic Trainer's office.
 - Medical Release Form
 - Concussion Fact Sheet & Sign Off Form
 - Sudden Cardiac Death Pamphlet & Sign Off Form
 - Opioid Use / Fact Sheet & Sign Off Form
 - NJSIAA Steroid Testing & Sign Off Form
 - HIPPA Form
 - Consent To Treat Form
- 4. A student athlete must complete the IMPACT test prior to competing in Athletics. Instructions for completing the IMPACT test are included in this packet.

All forms must be handed in to the main office or the Athletic Trainer by the designated due date.

Paperwork Due Dates for Each Season:

Fall: August 1, 2023 Winter: October 20, 2023 Spring: February 16, 2024 ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

(Note: This form is to be filled out by the patient and parent Date of Exam	prior to	seein ₍	g the physician. The physician should keepa copy of this form in the	chart.,)
me Date of birth					
Sex Age Grade Sch	001		Sροπ(s)		
Medicines and Allergies: Please list all of the prescription and over Do you have any allergies?			ledicines and supplements (herbal and nutritional) that you are currently lergy below.	taking	
			L 7000 L Stringing insects		
Explain "Yes" answers below. Circle questions you don't know the an			MEDICAL QUECTIONS	Yes	No
GENERAL QUESTIONS	Yes	No	MEDICAL QUESTIONS 26. Do you cough, wheeze, or have difficulty breathing during or	162	NO
 Has a doctor ever denied or restricted your participation in sports for any reason? 			after exercise?		
2. Do you have any ongoing medical conditions? If so, please identify			27. Have you ever used an inhaler or taken asthma medicine?		
below: ☐ Asthma ☐ Anemia ☐ Diabetes ☐ Infections Other:			28. Is there anyone in your family who has asthma? 29. Were you born without or are you missing a kidney, an eye, a testicle		
3. Have you ever spent the night in the hospital?			(males), your spleen, or any other organ?		
4. Have you ever had surgery?			30. Do you have groin pain or a painful bulge or hernia in the groin area?		
HEART HEALTH QUESTIONS ABOUT YOU	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		
Have you ever passed out or nearly passed out DURING or AFTER exercise?			32. Do you have any rashes, pressure sores, or other skin problems? 33. Have you had a herpes or MRSA skin infection?		
6. Have you ever had discomfort, pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		
chest during exercise?			35. Have you ever had a hit or blow to the head that caused confusion,		
Does your heart ever race or skip beats (irregular beats) during exercise? Has a doctor ever told you that you have any heart problems? If so,			prolonged headache, or memory problems?		
check all that apply:			36. Do you have a history of seizure disorder? 37. Do you have headaches with exercise?		
☐ High blood pressure ☐ A heart murmur☐ High cholesterol☐ A heart infection			38. Have you ever had numbness, tingling, or weakness in your arms or		
☐ Kawasaki disease Other:			legs after being hit or falling?		
Has a doctor ever ordered a test for your heart? (For example, ECG/EKG, echocardiogram)			39. Have you ever been unable to move your arms or legs after being hit or falling?		
Do you get lightheaded or feel more short of breath than expected during exercise?			40. Have you ever become ill while exercising in the heat? 41. Do you get frequent muscle cramps when exercising?		
11. Have you ever had an unexplained seizure?			41. Do you get frequent muscle cramps when exercising? 42. Do you or someone in your family have sickle cell trait or disease?		
12. Do you get more tired or short of breath more quickly than your friends			43. Have you had any problems with your eyes or vision?		
during exercise?	Von		44. Have you had any eye injuries?		
HEART HEALTH QUESTIONS ABOUT YOUR FAMILY 13. Has any family member or relative died of heart problems or had an	Yes	No	45. Do you wear glasses or contact lenses?		
unexpected or unexplained sudden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		
drowning, unexplained car accident, or sudden infant death syndrome)? 14. Does anyone in your family have hypertrophic cardiomyopathy, Marfan	_		47. Do you worry about your weight? 48. Are you trying to or has anyone recommended that you gain or		
syndrome, arrhythmogenic right ventricular cardiomyopathy, long QT			lose weight?		
syndrome, short QT syndrome, Brugada syndrome, or catecholaminergic polymorphic ventricular tachycardia?			49. Are you on a special diet or do you avoid certain types of foods?		
15. Does anyone in your family have a heart problem, pacemaker, or			50. Have you ever had an eating disorder?		
implanted defibrillator?			51. Do you have any concerns that you would like to discuss with a doctor? FEMALES ONLY		
16. Has anyone in your family had unexplained fainting, unexplained seizures, or near drowning?			52. Have you ever had a menstrual period?		
BONE AND JOINT QUESTIONS	Yes	No	53. How old were you when you had your first menstrual period?		
Have you ever had an injury to a bone, muscle, ligament, or tendon that caused you to miss a practice or a game?			54. How many periods have you had in the last 12 months?		
18. Have you ever had any broken or fractured bones or dislocated joints?			- Explain "yes" answers here		
Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches?					
20. Have you ever had a stress fracture?					
Have you ever been told that you have or have you had an x-ray for neck instability or atlantoaxial instability? (Down syndrome or dwarfism)					
22. Do you regularly use a brace, orthotics, or other assistive device?					
23. Do you have a bone, muscle, or joint injury that bothers you?	_				
Do any of your joints become painful, swollen, feel warm, or look red? Do you have any history of juvenile arthritis or connective tissue disease?					
I hereby state that, to the best of my knowledge, my answers to	the sha	NO 4110	stions are complete and correct		
Signature of athlete Signature of			W Section		

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503

9-2681/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date	of Exam					
Name	1			Date of birth		
Sex _	Age	Grade	School	Sport(s)		
1 T	ype of disability					
_	ate of disability					
_	lassification (if available)					
_		sease, accident/trauma, other)				
_	ist the sports you are inter					
J. L	ist the sports you are inter	ested in playing			Yes	No
6. D	o you regularly use a brac	e, assistive device, or prosthetic	c?		100	
7. D	o you use any special brace	ce or assistive device for sports'	?			
8. D	o you have any rashes, pr	essure sores, or any other skin	problems?			
9. D	o you have a hearing loss	? Do you use a hearing aid?				
_	o you have a visual impair					
		ices for bowel or bladder function	on?			
	o you have burning or disc					
_	lave you had autonomic dy					
_	The state of the s		nermia) or cold-related (hypothermia) illne	ss?		
_	o you have muscle spastic	~ •				
16. D	o you have frequent seizu	res that cannot be controlled by	medication?			
	n "yes" answers here					
Please	indicate if you have eve	er had any of the following.				
					Yes	No
Atlant	toaxial instability				Yes	No
-	toaxial instability evaluation for atlantoaxial	Instability			Yes	No
X-ray Dislo	evaluation for atlantoaxial cated joints (more than one				Yes	No
X-ray Disloc Easy	evaluation for atlantoaxial cated joints (more than one bleeding				Yes	No
X-ray Disloc Easy Enlarg	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen				Yes	No
X-ray Disloc Easy Enlare Hepa	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis				Yes	No
X-ray Disloc Easy Enlarg Hepai	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis openia or osteoporosis				Yes	No
X-ray Disloc Easy Enlare Hepa Osteo	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis openia or osteoporosis ulty controlling bowel				Yes	No
X-ray Disloc Easy Enlare Hepa Osteo Diffic	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis openia or osteoporosis ulty controlling bowel ulty controlling bladder	e)			Yes	No
X-ray Disloce Easy Enlarg Hepar Osteo Diffice Numb	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis penia or osteoporosis ulty controlling bowel ulty controlling bladder oness or tingling in arms o	r hands			Yes	No
X-ray Disloc Easy Enlarg Hepa Osteo Diffic Numb	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis openia or osteoporosis ulty controlling bowel ulty controlling bladder oness or tingling in arms of oness or tingling in legs or	r hands			Yes	No
X-ray Disloc Easy Enlarg Hepa Osteo Diffic Numb Numb Weak	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis spenia or osteoporosis ulty controlling bowel ulty controlling bladder oness or tingling in arms of oness in arms or hands	r hands			Yes	No
X-ray Disloce Easy Enlarg Hepa Osteo Diffic Numb Numb Weak	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis spenia or osteoporosis ulty controlling bowel ulty controlling bladder oness or tingling in arms of oness in arms or hands mess in legs or feet	r hands			Yes	No
X-ray Disloc Easy Enlarg Hepar Osteo Diffic Numb Weak Weak Recei	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) openia or osteoporosis ulty controlling bowel ulty controlling bladder oness or tingling in legs or ness in arms or hands ness in legs or feet nt change in coordination	r hands feet			Yes	No
X-ray Disloc Easy Enlarg Hepa Ostec Diffic Numb Weak Weak Recei	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis spenia or osteoporosis uity controlling bowel uity controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet to thange in coordination at change in ability to walk	r hands feet			Yes	No
X-rayy Disloto Easy Enlarge Hepar Ostec Diffic Numt Numt Weak Weak Recei Recei	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) spenia or osteoporosis uity controlling bowel uity controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet to thange in coordination at change in ability to walk to bifida	r hands feet			Yes	No
X-ray Dislocotic Easy Enlarge	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) begins or osteoporosis outly controlling bowel outly controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet and change in coordination of change in ability to walk tiffda allergy	r hands feet			Yes	No
X-ray Dislocotic Easy Enlarge	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) spenia or osteoporosis uity controlling bowel uity controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet to thange in coordination at change in ability to walk to bifida	r hands feet			Yes	No
X-ray Dislocotic Easy Enlarge	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) begins or osteoporosis outly controlling bowel outly controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet and change in coordination of change in ability to walk tiffda allergy	r hands feet			Yes	No
X-ray Dislocotic Easy Enlarge	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) begins or osteoporosis outly controlling bowel outly controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet and change in coordination of change in ability to walk tiffda allergy	r hands feet			Yes	No
X-ray Dislocotic Easy Enlarge	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) begins or osteoporosis outly controlling bowel outly controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands ness in legs or feet and change in coordination of change in ability to walk tiffda allergy	r hands feet			Yes	No
X-ray Dislood Easy Enlarge Hepar Osteo Diffice Number Number Weak Receipt Receipt Spinal Latex	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) ged spleen titis penia or osteoporosis culty controlling bowel culty controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands mess in legs or feet and change in coordination at change in ability to walk tiffda allergy	r hands feet			Yes	No
X-ray Dislocotic Easy Enlarge	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) ged spleen titis penia or osteoporosis culty controlling bowel culty controlling bladder oness or tingling in arms or oness or tingling in legs or ness in arms or hands mess in legs or feet and change in coordination at change in ability to walk tiffda allergy	r hands feet			Yes	No
X-ray Disloto Easy Enlary Hepa' Ostec Diffic Numb Numb Weak Recei Recei Spinaatex Explai	evaluation for atlantoaxial cated joints (more than one bleeding ged spleen titis) appenia or osteoporosis ulty controlling bowel ulty controlling bladder oness or tingling in arms or oness or tingling in legs or mess in arms or hands mess in legs or feet not change in coordination at change in ability to walk a bifida allergy n "yes" answers here	r hands feet	's to the above questions are complete Signature of parent/guardian	and correct.	Yes	No

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Name Date of birth _ PHYSICIAN REMINDERS 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? Do you feel safe at your home or residence? * Have you ever tried cigarettes, chewing tobacco, snuff, or dip? During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance supplement? • Have you ever taken any supplements to help you gain or lose weight or improve your performance? Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). **EXAMINATION** Height Weight ☐ Male ☐ Female BP Pulse Vision R 20/ 1.20/ Corrected □ Y □ N MEDICAL ABNORMAL FINDINGS NORMAL · Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat · Pupils equal • Hearing Lymph nodes Heart^a Murmurs (auscultation standing, supine, +/- Valsalva) · Location of point of maximal impulse (PMI) Pulses · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b · HSV, lesions suggestive of MRSA, tinea corporis Neurologic c MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes **Functional** · Duck-walk, single leg hop ^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. Consider GU exam if in private setting. Having third party present is recommended.

Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. ☐ Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for _ □ Not cleared □ Pending further evaluation □ For any sports □ For certain sports _ Reason _ Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/quardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)_ Date of exam Address Phone ___

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503
9-2681/0410

Signature of physician, APN, PA _

PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

Name	Sex \(\text{M} \(\text{D} \) F \(\text{Age} \) Date of birth \(\)
☐ Cleared for all sports without restriction	
$\hfill \Box$ Cleared for all sports without restriction with recommendations for further evaluations for further evaluations and the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sport of the sports with the sports wi	luation or treatment for
□ Not cleared	
□ Pending further evaluation	
☐ For any sports	
☐ For certain sports	
Reason	
Recommendations	*
EMERGENCY INFORMATION	
Allergies	
Other information	
HCP OFFICE STAMP	SCHOOL PHYSICIAN:
	Reviewed on(Date)
	Approved Not Approved
	Signature:
	articipation physical evaluation. The athlete does not present apparent as outlined above. A copy of the physical exam is on record in my office
and can be made available to the school at the request of the paren	ts. If conditions arise after the athlete has been cleared for participation,
the physician may rescind the clearance until the problem is resolve (and parents/guardians).	ed and the potential consequences are completely explained to the athlete
Name of physician, advanced practice nurse (APN), physician assistant (PA)	Date
	Phone
Signature of physician, APN, PA	
Completed Cardiac Assessment Professional Development Module	
DateSignature	

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

New Jersey Department of Education Health History Update Questionnaire

Name of School:
To participate on a school-sponsored interscholastic or intramural athletic team or squad, each student whose physical examination was completed more than 90 days prior to the first day of official practice shall provide a health history update questionnaire completed and signed by the student's parent or guardian.
Student:Age:Grade:
Date of Last Physical Examination: Sport:
Since the last pre-participation physical examination, has your son/daughter: 1. Been medically advised not to participate in a sport? Yes No
2. Sustained a concussion, been unconscious or lost memory from a blow to the head? Yes No If yes, explain in detail:
3. Broken a bone or sprained/strained/dislocated any muscle or joints? Yes No If yes, describe in detail.
4. Fainted or "blacked out?" Yes No If yes, was this during or immediately after exercise?
5. Experienced chest pains, shortness of breath or "racing heart?" Yes No
6. Has there been a recent history of fatigue and unusual tiredness? Yes No
If yes, explain in detail
8. Since the last physical examination, has there been a sudden death in the family or has any member of the family under age 50 had a heart attack or "heart trouble?" Yes No
9. Started or stopped taking any over-the-counter or prescribed medications? Yes No
10. Been diagnosed with Coronavirus (COVID-19)? Yes No
If diagnosed with Coronavirus (COVID-19), was your son/daughter symptomatic? Yes No If diagnosed with Coronavirus (COVID-19), was your son/daughter hospitalized? Yes No
Date:Signature of parent/guardian:

Diago Daturn Camplated Form to the School Nurse's Office

Warren County Technical School Coach's Medical Release Form

Player's Name:	Sport(s):
Address:	
City: State:	
Date of Birth: Sex:	Social Security#
Parent/Guardian Name:	Parent/Guardian Name:
Relationship:	Relationship:
Home phone:	Home phone:
Cell Phone:	Cell Phone:
Work Phone:	Work Phone:
Relationship to Athlete:	Contact #
Insurance Coverage (must have insura Insurance Name:	ance to participate in school sports)
Policy #	Group #
Primary Care Physician:	Phone #
Name of Policy Holder:	Relationship to Athlete:
Any Known Allergies/Pertinent Medical Info	formation:
that even the best coaching, use of the most advanced prossible. On rare occasions, these injuries can be severe	jury, which is inherent in all sports. I, Parent/Guardian acknowledge rotective equipment and strict observance of rules, injuries are still e enough to result in complete or partial paralysis or even death. In the equires medical treatment, I parent/legal guardian acknowledge that
	mission to act as my surrogate for my child in the area of obtaining, sume the financial responsibility for any medical treatment of my child.
Signature of Parent/Guardian	Date

Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics

3836 Quakerbridge Road, Suite 108 New Jersey Chapter

Hamilton, NJ 08619 (p) 609-842-0014

(f) 609-842-0015 www.aapnj.org

American Heart Association

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020

New Jersey Department of Education www.heart.org

Trenton, NJ 08625-0500 (p) 609-292-5935 PO Box 500

www.state.nj.us/education/

New Jersey Department of Health P. O. Box 360

Trenton, NJ 08625-0360 (p) 609-292-7837

www.state.nj.us/health

Lead Author: American Academy of Pediatrics, New Jersey Chapter

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

American Heart Association/New Jersey Chapter, NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, NJ Department of Health and Senior Services, New Jersey State School Nurses

Lakota Kruse, MD, MPH; Susan Martz, EdM; Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD Christene DeWitt-Parker, MSN, CSN, RN; Revised 2014: Nancy Curry, EdM;



Sudden Cardiac Death The Basic Facts on n Young Athletes



American Academy of Pediatrics DEDICATED TO THE HEALTH OF ALL CHILDREN"



Learn and Live American Heart Association



SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

udden death in young athletes between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. tragedy?

What is sudden cardiac death

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly result of an unexpected failure of proper is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common is sudden death in young

Sudden cardiac death in young athletes is The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more

What are the most common causes?

by one of several cardiovascular abnormalities roo-LAY-shun). The problem is usually caused ventricular fibrillation (ven- TRICK-you-lar fib-Research suggests that the main cause is a and electrical diseases of the heart that go oss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. neart to quiver instead of pumping

also called HCM. HCM is a disease of the heart, muscle, which can cause serious heart rhythm The most common cause of sudden death in problems and blockages to blood flow. This (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) genetic disease runs in families and usually an athlete is hypertrophic cardiomyopathy with abnormal thickening of the heart develops gradually over many years.

blood vessels are connected to arteries. This means that these the main blood vessel of the The second most likely cause is congenital abnormalities of the coronary (con-JEN-it-al) (i.e., present from birth)

(commonly called "coronary artery disease," which may lead to a heart heart in an abnormal way. This differs from blockages that may occur when people get older

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing)

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES What are the current recommendations PPE. However, these procedures

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsoponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1½ minute walk from any location and that a call is made to activate 911 emergency system while the AED is being



Sudden Cardiac Death Pamphlet Sign-Off Sheet

Name of School District:
Name of Local School:
I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.
Student Signature:
Parent or Guardian Signature:
Date:



AN EDUCATIONAL FACT SHEET FOR PARENTS



Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury. According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

² Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

³ Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

Most Common Types of Eye **Injuries**

- ♦ Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eve structures and/or lead to vision loss.
- **Corneal abrasions:** Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- ◆ Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.4
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eve:
- Double vision;
- Severe eyelid and facial swelling;
- Difficulty tracking;

and Sports

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a **Sports-Related** Eye Injury **Occurs**

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

> According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

Return to Play

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

> Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute
 annually this educational fact to all student athletes and obtain a signed acknowledgement from each
 parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the
 prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic
 student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- **Report it**. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing
 you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain
 injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroomaccommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non-contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

For further information on Sports-Related Concussions and other Head Injuries, please visit:

- CDC Heads Up
- Keeping Heads Healthy
- National Federation of State High School Associations
- Athletic Trainers' Society of New Jersey

Signature of Student-Athlete	Print Student-Athlete's Name	Date
Signature of Parent/Guardian	Print Parent/Guardian's Name	Date



Keeping Student-Athletes Safe

School athletics can serve an integral role in students' development. In addition to providing healthy forms of exercise, school athletics foster friendships and camaraderie, promote sportsmanship and fair play, and instill the value of competition.

Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller.¹ It is important to understand that overdoses from opioids are on the rise and are killing Americans of all ages and backgrounds. Families and communities across the country are coping with the health, emotional and economic effects of this epidemic.²

This educational fact sheet, created by the New Jersey Department of Education as required by state law (*N.J.S.A.* 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a student-athlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or guardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

How Do Athletes Obtain Opioids?

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications.³ It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

What Are Signs of Opioid Use?

According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied.³ In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening,⁴ such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.

What Are Some Ways Opioid Use and Misuse Can Be Prevented?

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, nonsteroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid narcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or guardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of immediately upon cessation of use. Ask your pharmacist about drop-off locations or home disposal kits like Deterra or Medsaway.

According to NJSIAA Sports
Medical Advisory Committee chair,
John P. Kripsak, D.O., "Studies
indicate that about 80 percent of
heroin users started out by abusing
narcotic painkillers."






STATE OF NEW JERSEY DEPARTMENT OF HEALTH

NISIAA SPORTS MEDICAL **ADVISORY COMMITTEE**





Even With Proper Training and Prevention, Sports Injuries May Occur

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.5

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.6

What Are Some Ways to Reduce the Risk of Injury?

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:



PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown exercises.



PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.



TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.



PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's quiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

- References 1 Massachusetts Technical Assistance Partnership for Prevention
 - ² Centers for Disease Control and Prevention
 - ³ New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- ⁴ Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- National Institute of Arthritis and Musculoskeletal and Skin Diseases
- 6 USATODAY
- 7 American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.



WARREN COUNTY TECHNICAL SCHOOL

1500 Route 57, Washington, NJ 07882

Jeff Tierney, Assistant Principal/Athletic Director
Phone Number: 908-835-2850

Fax Number: 908-689-7699

Use and Misuse of Opioid Drugs Fact Sheet Student-Athlete and Parent/Guardian Sign-Off

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this *Opioid Use and Misuse Educational Fact Sheet* and the *NJ CARES education video* to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district prior to the first official practice session of the spring 2018 athletic season (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association) and annually thereafter prior to the student-athlete's or cheerleader's first official practice of the school year.

NJ CARES EDUCATION VIDEO: https://youtu.be/3Rz6rkwpAx8

Warren County Technical School

I/We acknowledge that we received a Drugs.	nd reviewed the Educational Fact Shee	t on the Use and Misuse of Opioid
Printed Student Name	Student Signature	 Date
Printed Parent/Guardian Name	Parent/Guardian Signature	 Date
	ational video on the risks of opioid use quires students, and their parent(s)/guathis acknowledgement.	
Printed Student Name	Student Signature	Date
Printed Parent/Guardian Name	 Parent/Guardian Signature	 Date

¹Does not include athletic clubs or intramural events.



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691

609-259-2776 609-259-3047-Fax

NJSIAA'S STEROID TESTING POLICY

In accordance with Executive Order 72, issued by the Governor of the State of New Jersey, Richard J. Codey, on December 20, 2005, the NJSIAA will test a random selection of student athletes, who have qualified, as individuals or as members of a team, for state championship competition.

- 1. <u>List of banned substances:</u> A list of banned substances shall be prepared annually by the Medical Advisory Committee, and approved by the Executive Committee.
- 2. <u>Consent form:</u> Before participating in interscholastic sports, the student-athlete and the student-athlete's parent or guardian shall consent, in writing, to random testing in accordance with this policy. Failure to sign the consent form renders the student-athlete ineligible.
- 3. <u>Selection of athletes to be tested:</u> Tested athletes will be selected randomly from all of those athletes participating in championship competition. Testing may occur at any state championship site or at the school whose athletes have qualified for championship competition
- **4.** Administration of tests: Tests shall be administered by a certified laboratory, selected by the Executive Director and approved by the Executive Committee.
- **5.** <u>Testing methodology:</u> The methodology for taking and handling samples shall be in accordance with current legal standards.
- **6.** <u>Sufficiency of results:</u> No test shall be considered a positive result unless the approved laboratory reports a positive result, and the NJSIAA's medical review officer confirms that there was no medical reason for the positive result. A "B" sample shall be available in the event of an appeal.
- 7. Appeal process: If the certified laboratory reports that a student-athlete's sample has tested positive, and the medical review officer confirms that there is no medical reason for a positive result, a penalty shall be imposed unless the student-athlete proves, by a preponderance of the evidence, that he or she bears no fault or negligence for the violation. Appeals shall be heard by a NJSIAA committee consisting of two members of the Executive Committee, the Executive Director/designee, a trainer and a physician. Appeal of a decision of the Committee shall be to the Commissioner of Education, for public school athletes, and to the superior court, for non-public athletes. Hearings shall be held in accordance with NJSIAA By-Laws, Article XIII, "Hearing Procedure."

- 8. Penalties. Any person who tests positively in an NJSIAA administered test, or any person who refuses to provide a testing sample, or any person who reports his or her own violation, shall immediately forfeit his or her eligibility to participate in NJSIAA competition for a period of one year from the date of the test. Any such person shall also forfeit any individual honor earned while in violation. No person who tests positive, refuses to provide a test sample, or who reports his or her own violation shall resume eligibility until he or she has undergone counseling and produced a negative test result.
- 9. <u>Confidentiality:</u> Results of all tests shall be considered confidential and shall only be disclosed to the individual, his or her parents and his or her school.
- **10.** <u>Compilation of results:</u> The Executive Committee shall annually compile and report the results of the testing program.
- 11. <u>Yearly renewal of the steroid policy:</u> The Executive Committee shall annually determine whether this policy shall be renewed or discontinued.

June 1, 2007



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691

609-259-2776 609-259-3047-Fax

NJSIAA STEROID TESTING POLICY

CONSENT TO RANDOM TESTING

In Executive Order 72, issued December 20, 2005, Governor Richard Codey directed the New Jersey Department of Education to work in conjunction with the New Jersey State Interscholastic Athletic Association (NJSIAA) to develop and implement a program of random testing for steroids, of teams and individuals qualifying for championship games.

Beginning in the Fall, 2006 sports season, any student-athlete who possesses, distributes, ingests or otherwise uses any of the banned substances on the attached page, without written prescription by a fully-licensed physician, as recognized by the American Medical Association, to treat a medical condition, violates the NJSIAA's sportsmanship rule, and is subject to NJSIAA penalties, including ineligibility from competition.

Athletes may submit supplements and medications to Drug Free Sport AXIS to receive information regarding banned substances or safety issues. Athletes or parents may login to the NJSIAA account at www.dfsaxis.com using the password "njsports".

The NJSIAA will test certain randomly selected individuals and teams that qualify for a state championship tournament or state championship competition for banned substances. The results of all tests shall be considered confidential and shall only be disclosed to the student, his or her parents and his or her school. No student may participate in NJSIAA competition unless the student and the student's parent/guardian consent to random testing.

By signing below, we consent to random testing in accordance with the NJSIAA steroid testing policy. We understand that, if the student or the student's team qualifies for a state championship tournament or state championship competition, the student may be subject to testing for banned substances.

Signature of Student-Athlete	Print Student-Athlete's Name	Date
Signature of Parent/Guardian	Print Parent/Guardian's Name	Date

PATIENT LABEL AREA



HIPAA PRIVACY AUTHORIZATION FORM SPORTS MEDICINE-YOUTH

Authorization for Use or Disclosure of Protected Health Information

(Required by the Health Insurance Portability and Accountability Act, 45 C.F.R. Parts 160 and 164)

1.		chool (name of school district
	program) (the "Program") health information about my child services to my child during participation in sports programs (prabe disclosed includes any information that is relevant to my child's other sports-related activities.	actices and games). The health information to
2.	Purpose. The purposes of such uses and disclosures may incl administrative staff, athletic trainers, school nurses, guidance affiliated with the Program about my child's: (i) prognosis and re ability to participate in training, practices, games and other team related to my child's activity with the Program.	e counselors and other individuals that are ecommended activities following an injury; (ii
3.	Refusal to Sign. I understand that I may refuse to sign this authorization.	orization. St. Luke's may not refuse to treat my
4.	Expiration of Authorization. This Authorization shall be in force in the Program. This Authorization will expire when my child is no expires, St. Luke's may no longer use or disclose my child's heat Authorization unless I sign a new Authorization. However, materiation this Authorization may continue to be used or disclosed for the particles.	longer in the Program. After this Authorization alth information for the purposes listed in this als that were created prior to the expiration o
5.	Revocation of Authorization. I understand that I may revoke the to the extent that St. Luke's has already relied on it in making a did I will send a written request to: St. Luke's Sports Medicine, 1441 Attention: Senior Director, Sports Medicine Relationships.	sclosure. If I wish to revoke this Authorization
6.	Further Disclosure. I understand that my child's health inform HIPAA for as long as that information is maintained by St. Luke health information by signing this Authorization, that health information (the Program) might but would be required to comply with privacy laws governing sch	's. If I permit St. Luke's to disclose my child's mation will no longer be protected by HIPAA tre-disclose the health information it receives
Par	rent or Legal Guardian Signature	Date
Par	ent or Guardian Printed Name	Child's Name
Re	ationship to Child	



Form No. 18633 Rev.



SPORTS MEDICINE AND ORTHOPEDIC CARE **CONSENT TO TREAT-YOUTH**

CONSENT TO TREAT

I am the parent/legal guardian of the child named below. I permit St. Luk personnel to deliver health care and treatment to my child at Warrer	
(name of school district/program) (the "Program") practice and games providers (athletic trainers, physical therapists, physicians, etc.). Such he providing first aid and initial management of injuries, rehabilitation, musc referral of injuries and management of injuries as may be deemed necessal in the treatment and diagnosis of my child.	by appropriately qualified health care ealth care and treatment may include culoskeletal screening, evaluation and
I understand that this consent will remain in effect until my child ceases to this consent is revoked by me by sending a written notification to St. Luke's, PA 18018, Attention: Senior Network Administrator, Sports Medicine Relation	1441 Schoenersville Road, Bethlehem,
FREE CHOICE OF PROVIDER Nothing contained in this consent form shall in any way require or suggest care with St. Luke's, any Physician, or any affiliate of St. Luke's at any seek care for any injury/illness at any hospital, health care facility, provider, consent is intended to require and nothing herein shall be construed to require or influence referrals to, or otherwise generate business for, St. Luke's, any	time whatsoever. Families are free to or physician. Nothing contained in this uire the family or the Program to make
Child's Name:	Date of Birth:
	Relationship:
Parent / Legal Guardian Name (print)	
Parent / Legal Guardian Address: (print)	_
City:	State: Zip:
Parent/Legal Guardian Emergency Contact Number (First):	
Parent/Legal Guardian Signature:	Date:



Form No. 18632 Rev. 05/22

St Luke's Sports Medicine

At Home Instructions

AT-HOME CONCUSSION Impact baseline testing explanation and instructions

As part of the concussion evaluation, St. Luke's University Health Network uses a computerized assessment measure called ImPACT (Immediate Post-Concussion Assessment and Cognitive Testing) to aid in the clinical decision-making process. ImPACT is a computerized neuropsychological assessment of memory, attention, reaction time, processing speed, and post-concussion symptoms. ImPACT provides specific, objective information regarding the injury. ImPACT is only one tool in the multidisciplinary approach to the concussion evaluation. To properly assess post-injury ImPACT results, a baseline ImPACT test must be on file. These tests are regarded as privileged medical information and results are not shared with anyone besides the medical staff, unless requested by your child's treating physician.

AT HOME BASELINE TESTING

The test takes approximately 30-40 minutes to complete. If your school/organization is performing at home ImPACT testing, please read the instructions carefully, as the validity of the ImPACT test depends on them. If you have any questions or need further instruction, please reach out to your athletic trainer.

REMINDERS

When taking the ImPACT baseline test, the environment should be similar to how the athlete would take a post-injury test, should a concussion be suspected or need to be ruled out. To help create this standardization, please follow these instructions:

- 1. The test should be taken in a quiet, distraction-free environment. This means no earbuds, no cellphone use, etc... during the test.
- 2. The test should be taken on a computer. If taken on a laptop, do not use the trackpad, instead, PLEASE USE THE MOUSE.
- 3. Be sure to have a secure internet/WIFI connection.
- If applicable, the test should be completed <u>before</u> any strenuous exercise or at least 3 hours after strenuous exercise.

If your code will not work, enable pop-ups on your browser. If your test freezes for more than one minute, try refreshing your page. If this does not work, you will have to restart the test. If you do not have a strong WIFI connection, consider using an Ethernet cable or taking the test on a desktop if possible. If a baseline test is deemed invalid, the athletic trainer will have the athlete retake the test.

Part of the test relies on seeing colors. If your child has a color vision deficiency or color blindness and you think it will alter the results of the test, please email the athletic trainers, as we use an alternate baseline concussion test.

STARTING THE IMPACT TEST

1. Open your browser, enter the website:

www.impacttestonline.com/testing

- Warren Tech Access Code. AZYV8QSNXT
- Click VALIDATE
- 4. Click the box **SELECT AN ORGANIZATION** and scroll down until you see the name of your school/organization.
 - Click LAUNCH BASELINE TEST
 - 6. The test has now started.
 - 1. When you get to the slide that asks if you would like to skip or enter demographic, click ENTER DEMOGRAPHICS.
 - 2. Give your best answer for CURRENT POSITION/EVENT/CLASS (ie. point guard in basketball, swimming event(s), flyer/base in cheer, wrestling weight class).

WHEN YOU HAVE FINISHED THE TEST

- 1. You will see a screen with your information on it and a spot on the bottom to enter your email.
- 2. Enter an email you have access to. That email will get a copy of the athlete's passport ID.
 - The screen will not change, simply close the browser.